

# SAFETY DATA SHEET

## IGL COATINGS™ ECOCOAT POLY



Material no.

Specification

Version

154284

1.18

Revision date

Page

08.06.2022

1 of 6

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME : IGL Coatings™ ecocoat poly  
FUNCTION : Hydro & oleophobic and easy clean agent surface modifier and gloss enhancer  
COMPANY : Ominent Sdn Bhd  
ADDRESS : No.7, Jalan Majistret U1/26, Hicom-Glenmarie Industrial Park, Seksyen U1, 40150 Shah Alam, Selangor.  
PHONE : +60355690980  
EMAIL ADDRESS : regulations@iglcoatings.com

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

##### Physical hazards

Flammable Liquid Category 2

##### Health hazards

Eye Irritation Category 2

#### 2.2 Label Elements

Regulation (EC) No. 1272/2008



GHS02



GHS07

##### Signal word

Danger

##### Hazard statements

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation

##### Precautionary statements

P210 Keep away from open flames and hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground container and receiving equipment.

P241 Use explosion proof equipment.

P242 Use only non-sparking tools.

P261 Avoid breathing fumes.

P264 Wash exposed skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing, eye protection and face mask.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: use foam/dry chemical/carbon dioxide to extinguish.

P403+P233+P235 Store in a well-ventilated place. Keep container tightly closed and keep cool.

P405 Store locked up.

P501 Dispose of contents/container to comply with local, state and federal regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No.	Chemical Name	Quantity
	EC No. Index No. REACH No.	
	Classification according to Regulation (EC) No. 1272/2008 (CLP)	
70131-67-8	Polydimethylsiloxane	70-90%

# SAFETY DATA SHEET

## IGL COATINGS™ ECOCOAT POLY



Material no.

Specification

154284

Revision date

08.06.2022

Version

1.18

Page

2 of 6

	615-070-3	Not applicable	Not applicable	
	Flam. Liq. 2: H225			
950595-49-0	Aluminium chelate compound			10-20%
	619-101-1	Not applicable	Not applicable	
	Not applicable			

#### 4. FIRST AID MEASURES

##### 4.1 Description of first aid measures

###### General Information

Take off contaminated clothing.

###### After Inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

###### After skin contact

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

###### After contact with eyes

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if presence and easy to do.

In case of troubles or persistent symptoms, consult an ophthalmologist.

###### After ingestion

Wash out mouth with water provided the person is conscious.

Never give anything by mouth to an unconscious person.

In all cases of doubt, or when symptoms persist, seek medical advice.

##### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### 5.1 Suitable extinguishing media

Foam, dry chemical or carbon dioxide

##### 5.2 Unsuitable extinguishing media

Not known.

##### 5.3 Special hazards arising from the substance or mixture

Flammable liquid

Hazardous toxic and irritating fumes or smoke may be emitted.

Vapours may be travel considerable distance to ignition source and flash back.

##### 5.4 Advise for firefighters

As in any fire, wear normal protective equipment (full bunker gear) and positive-pressure self-contained breathing apparatus.

##### 5.5 Unusual Fire Hazards:

Not known.

#### 6. ACCIDENTAL RELEASE MEASURES

##### 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

##### 6.2 Environmental precautions

Discharge into the environment must be avoided.

##### 6.3 Methods and material for containment and cleaning up

Shut off all ignition sources.

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

##### 6.4 Reference to other sections

# SAFETY DATA SHEET

## IGL COATINGS™ ECOCOAT POLY

Material no.

Specification

Version

154284

1.18

Revision date

Page

08.06.2022

3 of 6



Safe handling: Refer to section 7

Personal protection equipment: Refer to section 8

Disposal: Refer to section 13

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### Advice on safe handling

Wear personal protection equipment (Refer to section 8).

Avoid contact with eyes and skin.

#### Advice on protection against fire and explosion

Keep container closed when not in use.

Keep away from heat, sparks and flame.

#### Further information on handling

General protection and hygiene measures: Refer to section 8

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not store together with food and feeding stuffs.

#### Further information on storage conditions

Keep the packing dry and well-sealed to prevent contamination.

Recommended storage temperature: 20-25 °C.

Protect against UV-radiation/sunlight or heat.

Static electricity may accumulate and cause a fire hazard.

### 7.3 Specific end use(s): Refer to section 1.

### 7.4 Information about the emptied container

Residues will be explosive or flammable.

Keep away from heat, sparks and flame.

Do not puncture or cut this container, and do not weld on or near this container.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

No information available.

#### Additional Information:

The lists valid during the making were used as basis.

### 8.2 Exposure Control

#### 8.2.1 General protective and hygienic measures:

Wash hands before breaks and at the end of work. Ensure adequate ventilation.

#### 8.2.2 Personal protective equipment:

##### Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

##### Protection of hands:

Use plastic film or rubber gloves. The glove material has to be impermeable and resistant to the product/the substance/the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

##### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

##### Penetration time of glove material:

# SAFETY DATA SHEET

## IGL COATINGS™ ECOCOAT POLY

Material no.

Specification

Version

154284

1.18

Revision date

Page

08.06.2022

4 of 6



The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Safety glasses recommended during refilling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point	: 78 °C
Vapour Pressure	: 90 mmHg (at 25 °C)
Vapor Density	: 4.1 (Air = 1)
Specific Gravity	: 0.97 (at 20 °C)
Melting Point	: Not applicable
Flash Point	: 20 °C
pH	: 7.0 ± 0.5
Evaporation Rate	: >1 (Butyl Acetate = 1)
Solubility in Water	: Not soluble (hydrolysed with water)
Appearance (colour)	: Clear colorless
Appearance (form)	: Liquid
Odour	: Peculiar

### 10. STABILITY AND REACTIVITY

**10.1 Reactivity:** No further relevant information available.

**10.2 Chemical stability:** Stable under normal condition.

Thermal decomposition / conditions to avoid: No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** No dangerous reactions known.

**10.4 Conditions to avoid:** Hydrolysed with water but no hazard.

**10.5 Incompatible materials:** Water, acids or alkalis.

**10.6 Hazardous decomposition products:** No data available.

### 11. TOXICOLOGICAL INFORMATION

**Information on toxicological effects:** No data available.

**Acute toxicity:** No further relevant information available.

**Skin corrosion/irritation:** No further relevant information available.

**Eye irritation:** No further relevant information available.

**Respiratory or skin sensitization:** No further relevant information available.

**Summary of evaluation of the CMR properties:** No information available.

**Specific target organ toxicity – single exposure:** No information available.

**Specific target organ toxicity – repeated exposure:** No information available.

**Aspiration hazard:** No information available.

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No information available.

#### 12.2 Process of degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB Assessment

No information available.

#### 12.6 Other adverse effects

No information available.

# SAFETY DATA SHEET

## IGL COATINGS™ ECOCOAT POLY

Material no.

Specification

Version

154284

1.18

Revision date

Page

08.06.2022

5 of 6



### 13. DISPOSAL CONSIDERATION

#### 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulation.

#### Sewage disposal-related information

Do not empty into drains.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### 14. TRANSPORT INFORMATION

#### 14.1 IATA-DGR

UN number : 1263  
UN proper shipping name : Paint-related materials  
Transport hazard class(es) : 3  
Packing group : II  
Environmental hazards : No  
Special precautions for user : -  
Remarks : -

#### 14.2 IMDG-Code

UN number : 1263  
UN proper shipping name : Paint-related materials  
Transport hazard class(es) : 3  
Packing group : II  
Environmental hazards : No  
Marine pollutant : No  
EmS Code : -

### 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### US Federal Regulations

##### US. Toxic Substances Control Act (TSCA)

All chemical substances in this material are included on the TSCA Inventory of Chemical Substances.

##### Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Hazardous Substance List

None present or none present in regulated quantities.

##### Superfund Amendments and Reauthorization Act of 1986 (SARA)

##### Emergency Planning and Community Right-To-Know Act (EPCRA) Section 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

##### Emergency Planning and Community Right-To-Know Act (EPCRA) Section 313 Toxics Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

##### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

##### US. State Regulation

# SAFETY DATA SHEET

## IGL COATINGS™ ECOCOAT POLY



Material no.

Specification

Version

**154284**

**1.18**

Revision date

Page

**08.06.2022**

6 of 6

### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

### **EU Regulation**

**EU. Directive 2012/18/EU (SEVESO III) on Major Accident Hazards Involving Dangerous Substances, Annex I:**

Not applicable.

### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

---

## **16. OTHER INFORMATION**

### **Further information**

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material use in combination with any other materials or any process, unless specified in the test.