

SAFETY DATA SHEET

IGL COATINGS™ ECOCLEAN INTERIOR



Material no.

Specification

Version

154299

1.15

Revision date

Page

16.02.2021

1 of 6

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME : IGL Coatings™ ecoclean interior
FUNCTION : All interior cleaner
COMPANY : Ominent Sdn Bhd
ADDRESS : No.7, Jalan Majistret U1/26, Hicom-Glenmarie Industrial Park, Seksyen U1, 40150 Shah Alam, Selangor.
PHONE : +60355690980
EMAIL ADDRESS : regulations@iglcoatings.com

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Health hazards

Skin irritation Category 3
Eye irritation Category 2

2.2 Label Elements

Regulation (EC) No. 1272/2008



GHS07

Signal Word

Warning

Hazard statements

H316 Causes mild skin irritation
H319 Causes serious eye irritation

Precautionary statements

P264 Wash exposed skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No.	Chemical Name			Quantity
	EC No.	Index No.	REACH No.	
	Classification according to Regulation (EC) No. 1272/2008 (CLP)			
7732-18-5	Water			80-100%
	231-791-2	Not applicable	Not applicable	
	Not applicable			
1643-20-5	Lauramine oxide			1-5%
	216-700-6	Not applicable	01-2120068065-58-0000	
	Acute Tox. 4: H302; Skin Irr. 2: H315			
68439-46-3	Alcohol ethoxylates			1-5%
	614-482-0	Not applicable	01-2119980051-45-0000	
	Eye irr. 2: H319			
67784-80-9	Soya ester ethyl lactate (soybean oil blend)			0.1-1%
	267-055-2	Not applicable	Not applicable	
	Not applicable			
77-92-9	Citric acid			0.1-1%

SAFETY DATA SHEET

IGL COATINGS™ ECOCLEAN INTERIOR



Material no.

Specification

154299

Revision date

16.02.2021

Version

1.15

Page

2 of 6

	201-069-1	Not applicable	01-2119457026-42-0000	
	Eye Irr. 2: H319			
497-19-8	Sodium carbonate			0.1-1%
	207-838-8	Not applicable	01-2119485498-19-0000	
	Eye Irr. 2: H319			
8008-57-9	Citrus sinensis essential oils			0.1-1%
	616-926-9	Not applicable	Not applicable	
	Not applicable			

Additional information:

The exact percentage of some ingredients used in this product are considered to be proprietary and are withheld as confidential business information.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General Information

Take off contaminated clothing.

After Inhalation

Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.

After skin contact

Causes skin irritation. Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

If swallowed, immediately give 3--4 glasses of milk (in unavailable, give water). Do not induce vomiting. If vomiting does occur, give fluids again. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Eyes: Irritation

Skin: Possible slight transient irritation.

Gastric upset.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Water spray.

5.2 Unsuitable extinguishing media

No information available.

5.3 Special hazards arising from substance or mixture

In event of fire, fire created carbon oxides may be formed.

5.4 Advice for firefighters

Must wear NIOSH/MSHA approved self-containing breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.

5.5 Unusual Fire Hazards:

None.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (Refer to section 8).

6.2. Environmental precautions

Do not allow into open waterways and ground water systems.

6.3. Methods and material for containment and cleaning up

Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

SAFETY DATA SHEET

IGL COATINGS™ ECOCLEAN INTERIOR



Material no.

Specification

154299

Revision date

16.02.2021

Version

1.15

Page

3 of 6

6.4 Reference to other sections

Safe handling: Refer to section 7

Personal protection equipment: Refer to section 8

Disposal: Refer to section 13

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Wear personal protection equipment (Refer to section 8).

Ensure adequate ventilation. Keep out of reach of children. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Advice on protection against fire and explosion

Not flammable.

Keep away from heat, sparks, open flame and direct sunlight.

Further information on handling

General protection and hygiene measures: Refer to section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool and dry area. Avoid prolonged exposure to sunlight.

Advice on storage compatibility

Do not store together with food and feeding stuffs.

Further information on storage conditions

Keep the packing dry and well-sealed to prevent contamination. Do not store at temperatures above 109°F (42.7°C).

Store in original container in areas inaccessible to children. Do not store on side. Offer for recycling if available or discard in trash. Do not expose to chlorine bleach.

7.3 Specific end use(s): Refer to section 1.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional Information: The lists valid during the making were used as basis.

8.2 Exposure Control

8.2.1 General protective and hygienic measures:

Wash hands before eating or drinking and at the end of work.

8.2.2 Personal protective equipment:

Respiratory protection:

Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.

Protection of hands:

Use protective gloves.

Eye protection:

Use protective glasses or safety goggles if splashing or spray-back is likely.

Body protection:

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point	: 100 °C
Flash Point	: > 100 °C
Auto-ignition Temperature	: Non-flammable
Freezing Point	: 0°C
Specific Gravity	: 1.01 g/mL

SAFETY DATA SHEET

IGL COATINGS™ ECOCLEAN INTERIOR



Material no.

Specification

154299

Revision date

16.02.2021

Version

1.15

Page

4 of 6

Specific Density	: 1.004 g/mL
pH	: 11.0
Evaporation Rate	: 1.319 (water=1)
Solubility in Water	: Water soluble
VOCs	: 0.1%
Appearance (color)	: Colourless
Appearance (form)	: Liquid
Odour	: Citrus

10. STABILITY AND REACTIVITY

10.1 Reactivity: Non-reactive.

10.2 Chemical stability: Stable under normal condition.

10.3 Possibility of hazardous reactions: Reactive with oxidizers.

10.4 Conditions to avoid: Excessive heat or cold.

10.5 Incompatible materials: Do not mix with chlorine bleach.

10.6 Hazardous decomposition products: Thermal decomposition may produce toxic vapours/fumes of oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Exposure route	Endpoint	Value	Species	Source
Oral	LD50	28658 mg/kg	Rat	ECHA
Dermal	LD50	20000 mg/kg	Rat	ECHA
Inhalation	LC50	39200 mg/m ³	Rat	ECHA

Skin corrosion/irritation: Causes mild skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Respiratory or skin sensitization: Shall not be classified as respiratory or skin sensitizing.

Summary of evaluation of the CMR properties: Shall not be classified as a germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity – single exposure: No data available.

Specific target organ toxicity – repeated exposure: No data available.

Aspiration hazard: No data available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.

12.2 Process of degradability

Readily biodegradable.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB Assessment

No data available.

12.6 Other adverse effects

No data available.

13. DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulation.

Sewage disposal-related information

SAFETY DATA SHEET

IGL COATINGS™ ECOCLEAN INTERIOR



Material no.

Specification

154299

Revision date

16.02.2021

Version

1.15

Page

5 of 6

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

14. TRANSPORT INFORMATION

14.1 IATA-DGR

UN number : -
UN proper shipping name : Non dangerous goods
Transport hazard class(es) : -
Packing group : -
Environmental hazards : No
Special precautions for user : No data available.
Remarks : -

14.2 IMDG-Code

UN number : -
UN proper shipping name : Non dangerous goods
Transport hazard class(es) : -
Packing group : -
Environmental hazards : No
Marine pollutant : No
EmS Code : -

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations

US. Toxic Substances Control Act (TSCA)

All chemical substances in this material are included on the TSCA Inventory of Chemical Substances.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Hazardous Substance List

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Emergency Planning and Community Right-To-Know Act (EPCRA) Section 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

Emergency Planning and Community Right-To-Know Act (EPCRA) Section 313 Toxics Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

US. State Regulation

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

SAFETY DATA SHEET

IGL COATINGS™ ECOCLEAN INTERIOR



Material no.

Specification

Version

154299

1.15

Revision date

Page

16.02.2021

6 of 6

EU Regulation

EU. Directive 2012/18/EU (SEVESO III) on Major Accident Hazards Involving Dangerous Substances, Annex I:

Not applicable.

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

16. OTHER INFORMATION

Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material use in combination with any other materials or any process, unless specified in the test.